

CLP-3043 Series
LED Area Fixture
DESIGN - QUALITY



Crystal 
Lighting

CLP-3043

LED AREA Lighting



CLP-3043 Medium and Large Squared LED AREA Lighting Arm Mount and Post Mount Fixture, Perfect to illuminate Residential, Walkways, Parking Lots, School Campuses, Industrial/Commercial Spaces, Recreational Parks. This Fixture has a wide light distribution. Comes with a 10 year/100,000 hour limited warranty.

FEATURES

- Energy Savings: Over 66% compared to HID light sources
- Improved lumen maintenance
- Utilizes high efficient Phillips Lumiled LED's
- Operating temperatures: -30°C ~ 60°C
- Driver: Constant current, 120-277v, 50/60Hz, 480v (Optional)
- Suitable for wet locations
- Dimming, occupancy sensors, photo cell and wireless controls capable (optional)
- Operating Life: >60,000 hours

CONSTRUCTION



- Housing is heavy-duty die-cast aluminum & hinged front door frame.
- 1/2" Coin plugs with O-rings for conduit, sensors or photo cell
- Powder coat bronze finish (standard) various colors available (custom).
- Type 2, 3, 4 and 5 Clear OPTIC` s
- Silicone gasket to prevent leakage and provide IP66 Protection.
- Mounting: 3" O,D Slip fitter Standard Mount, Contact the factory for other mountings.





Example: (CLP-3043-250CLED-50-MV-BZ-WC)



MODEL	WATTS	COLOR TEMP	VOLTAGE	FINISH	MOUNTING	OPTIONS
CLP-3043-M	30W (30CLED)	3000K (30K)	MV120-277V (MV)	BRONZE (BZ)	EXTRUDED ARM MOUNT6" (EAM6)	MOTION SENSOR (OCC)
-----	50W (50CLED)	4000K (40K)	480 (48V)	GRAY (GRY)	SPIDER MOUNT (SM)	PHOTO CELL (PC)
CLP-3043-L	60W (60CLED)	5000K (50K)		BLACK (BLK)	YOKE MOUNT (YM)	WIRELESS CONTROL (WC)
	120W (120CLED)			WHITE (WH)		
	200W (200CLED)			CUSTOM (CST)		
	250W (250CLED)					



ARM MOUNT



SPIDER MOUNT

DIMENSIONS				
CAT#	A	B	C	EPA
CLP-3043-M-AM	6"	15"		.8
CLP-3043-M-SP	6"	15"	18" 3/4	1.26
CLP-3043-L-AM	6"	21" 3/4		1.07
CLP-3043-L-SP	6"	21" 3/4	20" 1/2	1.26

Model Number	INPUT POWER	LUMEN OUTPUT	L/W	COLOR-TEMP (CCT)	CRI	RATED LIFE (L70)	INPUT VOLTAGE	INPUT FREQUENCY	HID Equivalent
CLP-3043-M-30CLED	35W	5222	149	5000K	70+	>200,000	120-277V	50/60HZ	70w MH
CLP-3043-M-50CLED	55W	7320	133	5000K	70+	>200,000	120-277V	50/60HZ	175w MH
CLP-3043-M-60CLED	65W	8784	135	5000K	70+	>200,000	120-277V	50/60HZ	250w HPS
CLP-3043-L-120CLED	125W	17568	140	5000K	70+	>200,000	120-277V	50/60HZ	400w HPS
CLP-3043-L-200CLED	205W	29280	142	5000K	70+	>200,000	120-277V	50/60HZ	750w PSMH
CLP-3043-L-250CLED	255W	35163	137	5000K	75	>200,000	120-277V	50/60HZ	1000w MH

All products are proudly manufactured and/or assembled in the USA