



PROJECT NAME		
TYPE	DATE	
notes		

Marine

Architectural LED Bulkhead



Marine is designed with quality aluminum die-cast material which enables long durability. The Marine is commonly installed in outdoor locations such as: residential areas, shopping districts, and public buildings.

- 10 year/100,000 hour limited warranty.

FEATURES

- 120~277V voltage
- UL listed for damp/wet locations
- Photocell
- 10Kv Surge Protector. (standard)

CONSTRUCTION

- Cast Aluminum Housing
- White frosted Glass
- 3 Mils Powder Coating Finish


















Example: (MRN-10CLED-30K-MV-BLK-WM-PC)

			•			
mrn						
Cat #	Wattage	Color Temp.	Voltage	FINISH	mounting	OPTIONS
Marine (MRN)	10W (10CLED) 20W (20CLED)	3000K (30) 4000K (40) 5000K (50)	120-277 (MV)	Black (BLK) White (WH) Bronze (BRZ) Gray (GRY) Graphite (GPH) Marine Grade (MG)	Wall Mount (WM)	Photocell (PC)







Dimensions					
САТ#	А	В			
mrn	6"	9" 5/8			

CAT#	WATTAGE	LUMEN OUTPUT	COLOR TEMP	CRI	L70 RATING	INPUT FREQUENCY
MRN-10LED	10W	1,938	5000K	75	>200,000	50/60 HZ
MRN-20LED	20W	3,650	5000K	75	>200,000	50/60 HZ