

ALL IN ONE SOLAR STREET LIGHT


SPECIFICATION (BATMAN SERIES)






Parameters


Model No.	BMS-70-5Y				
Light Output	70W				
LiFePO4 Power Battery	384WH				
Light Efficiency	7000 lm				
LED Chip	₩NICHIA				
Warranty	5 Years				
ССТ	5000K-6500K				
Beam Angle	157X60 degree				
Lamp Angle	0/30 degree				
Backup Time	3 nights				
Dim Mode	First 3 hours full brightness, last 9 hours in dimmable mode(60% brightness with people, 30% brightness without people)				
Working Temperature	−10°C to 70°C				
Charging Time	9 - 11 hours				
Required Pole Size:	60 mm(top end)				
Installation Height	4 - 6m				
Recommended Mounting Distance	25 m				






Product size & Packing info







	Wattage	Packing	Carton Size	N.W.(kgs)	G.W.(kgs)	20ft container	40ft container
70W	Lamp Body	1pcs/ctn	1252*480*180mm	14	16	115 sets	235 sets
	Arm & Batteries pack	1pcs/ctn	600*520*460mm	11	14.5		
				25	30.5		

Applications

Widely used in the road, street, and factory, park road, rural, mountainous area and the remote area lighting project, courtyard, schools, square and other need to place for outdoor lighting.



