



Strip Linear Econolume Series (4ft)



Description

The LITELUME Strip Linear Econolume Series 4' (LL-SLECO-4) features a rigid design with rounded corners pleasing to the eye making it suitable for many applications. The multi-functional channel comes in 4' lengths and 3 different wattages with 0-10v dimming drivers standard to satisfy a variety of purposes. Secondary controls, sensors and emergency battery back up is available in addition to multiple mounting options. An Excellent choice for grocery, retail, warehouse, shop, storage, utility, coves, and any general lighting.

Fixture Information

Size:	23W/35W/45W
Housing:	Aluminum
Finish:	Protective powdercoat
Color:	Standard: White
Mounting:	Standard: Surface Mount Suspended Mount
Lens:	Frosted Diffuser
Accessories:	Remote Control Emergency Back-up Battery (8W) Cords Plugs Sensors
Operating Temperature:	-40° F to 131° F
Power Factor:	.95
Voltage:	Standard: 120-277V Custom Option: 347-480V
Sensor:	Standard: No sensor Bi-Level PIR motion sensor
Warranty:	10-Year Limited Warranty

Performance Data

Lumen Output:

3,000 to 6,050 lm

Lumens Per Watt (typical):

126 to 134 lm/W

CCT:

4000K
5000K

Lifespan:

Up to 100,000 running hours

Ratings & Certificates


UL Listed
Damp Location Listed






Dimension

Item	Length	Height	Depth	Weight
Strip Linear Econolume 4ft - 23W	48.00"	3.76"	2.88"	5.75 lbs
Strip Linear Econolume 4ft - 35W	48.00"	3.76"	2.88"	5.75 lbs
Strip Linear Econolume 4ft - 45W	48.00"	3.76"	2.88"	5.88 lbs



Photometrics

General





Project Name	
Catalog #	
Job Type	
Prepared By	
Notes	

Fixture Ordering Information

Item #	Part #	Wattage	Lumens	Kelvin	Voltage	Custom Option Available*
9010	LL-SLECO-4-23-50-UNV-WH	23	3050	5000	120-277	Yes
9011	LL-SLECO-4-23-40-UNV-WH	23	3000	4000	120-277	Yes
9012	LL-SLECO-4-35-50-UNV-WH	35	4700	5000	120-277	Yes
9013	LL-SLECO-4-35-40-UNV-WH	35	4650	4000	120-277	Yes
9014	LL-SLECO-4-45-50-UNV-WH	45	6050	5000	120-277	Yes
9015	LL-SLECO-4-45-40-UNV-WH	45	6000	4000	120-277	Yes

* Please contact LITELUME for all Custom Option Requests

Accessories Ordering Information

Item #	Part #	Wattage
33	MS33	Bi-Level PIR Motion Sensor 33 (*Must Select Lens Coverage Below*)
47	L1	L1 Low Bay Coverage Lens
48	L2	L2 High Bay Coverage Lens
21	LL-100	Remote Control 100
305	FSIR100	Wattstopper FSIR-100 Wireless Configuration Tool for FSP-211/HBP-111
306	MC031V-D	Merrytek IP65 Rated Microwave Motion Sensor
307	HBP111	Wattstopper HBP-111 High/Low Bay PIR Motion Sensor With IR Remote Capabilities
34	EM8	Emergency Battery Back Up 8W
480	SUB "UNV" WITH "480"	480 Volt

* Please contact LITELUME for all Custom Option Requests

Buy American Act Compliant Ordering Information

Item #	Part #	Description
233	BAA-SLECO-4	Buy American Act Compliant For Strip Linear Econolume Series 4'

* Please contact LITELUME for all Custom Option Requests