

ALL IN ONE SOLAR FLOOD LIGHT SPECIFICATION WARSHIP SERIES





SASO UN38.3 IP66



Parameters

Model No	Light Outpu	Led Qt	Battery	Light Efficiency	Illuminate Are	Solar Panel Siz	Warranty
SW-WP-1	10W	12pcs	3.7V 4AH	500lm	30-50m ²	180*230*17MM	3 years
SW-WP-2	30W	24pcs	3.7V 15AH	1800lm	60-80m ²	350*230*17MM	3 years
SW-WP-3	50W	36pcs	3.7V 20AH	3000lm	80-100m ²	350*350*17MM	3 years
SW-WP-4	80W	72pcs	3.7V 30AH	5500lm	100-120m ²	430*350*17MM	3 years
SW-WP-5	100W	120pcs	11.1V 45AH	7000lm	130-150m ²	630*350*17MM	3 years
SW-WP-6	200W	180pcs	11.1V 60AH	10000lm	180-200m ³	700*350*25MM	3 years
SW-WP-7	300W	384pcs	11.1V110A	15000lm	300-400m ³	670*660*25MM	3 years



LED CHIP	 SMD3030
CCT	5000k-6000k
Beam Angle	30/60/90/120 degree
Conversion Rate	18%
Charging Time	9-11 hours
Cloudy Days Backup Time	3 days
Dim Mode	First 4 hours full brightness, later 4 hours 50% brightness, last 4 hours 25% brightness
Working Temperature	-20 degree to 60 degree
Warranty	3 years



Special Core Protected

High-precision 9fold protection technology

1

EMS (energy management system) ensure light up 7 days in rainy days

2




MPPT technology for quick charging, 5-6 hours under bright sun

3

The mode of light control and brightness control by VCC high precision driving technology

4



Applications

1. Replace of traditional outdoor lamp,hand lamp.
2. Application for big buildings, playground,garden,landscape,yard,path,walkway,front door entertainment locations like hotel,restaurant, shop, bar etc.

