



## Features

- Commercial grade solar lighting
- Requires 10-12 hrs charge prior to use
- 10 - 12 hours light output per night
- High quality inbuilt LiFePO4 battery
- Attractive modern design
- Ideal for illuminating paths and walkways
- Automatic light sensor turns LEDs on and off for dusk to dawn operation
- Warranty: 1 year warranty for faulty workmanship or component failure not influenced by external means

**Specifications** Pole SOLPOLE0012SS, Wall SOLWALL0012SS, Pillar SOLPILL012SS, Bollard SOLB012SS

- |               |                                    |                    |   |
|---------------|------------------------------------|--------------------|---|
| • Finish      | Polished 304 grade stainless steel | • Solar Panel      | 9V 4watts                               |
| • Charge Time | 4-6 hours                          | • Solar Panel Size | 145H x 155Wmm                           |
| • CCT         | 4000K (cool white)                 | • Light Source     | 36 high intensity LEDs                  |
| • Size        | 800, 380, 380, 2200mm              | • Battery          | LiFePO4 battery                         |
| • Brightness  | Approx. 300 lumen output           | • Material         | Stainless steel, polycarbonate diffuser |

## What is a Lumen?

In simple terms, Lumens are a measure of the total amount of visible light from a lamp or light source. The higher the lumen rating, the “brighter” the lamp will appear.

### How does this compare with other light sources?

- Familiar examples
- A typical 4 x D cell battery maglite will emit approx. 70 lumens
  - The average hardware style path light using 2-3 LEDs emits 15-18 lumens
  - A 25W incandescent globe emits approximately 160 lumens

